



# D.R. Engineers


New No.206, Old No. 108, Broadway, IInd Floor,  
Chennai - 600 108. Tel : 044 - 42163621, Mob : 9840195620, 9600005286  
E-mail : drengineers@gmail.com, www.drengineers.co.in



**FIBERTEC-Z SERIES**  
2KW/5KW Fiber Laser Cutting Machine



**FLEXGRAPH-1530**  
CNC Plasma Cutting Machine



**PNC-12 EXTREME**  
Portable CNC Cutting Machine



**FLEXIGRAPH - Smart**  
CNC Plasma / Gas Cutting Machine



**WEL-HANDY MULTI II Series**  
Heavy-Duty Multi Purpose Mechanized Welding Carriage



Abicor Binzel, Germany  
[www.binzel-abicor.com](http://www.binzel-abicor.com)



Callington, Australia  
[www.callingtonhaven.com](http://www.callingtonhaven.com)



Koike, Japan  
[www.koike-india.com](http://www.koike-india.com)

- Robo, Mig, Tig, Torches Manufacturer
- Welding and Metal Treatment Products
- Mfg of CNC Gas, Plasma, Laser Cutting Machines



Warrp Engg P Ltd. Mumbai - Manufacturer of Welding and related Products  
[www.warpp.co.in](http://www.warpp.co.in)



Welspring Universal  
[www.welspring.com](http://www.welspring.com)

- A Universe of Welding Accessories

## Auto-Darkening Welding Helmet ADF 615J



### Specifications

Model ADF 615J	
Optical Class	1/1/1/2
Viewing Area	96 x 40 mm
Cartridge Size	110 x 90 x 9 mm
Switching Speed	1/16,000 s.
Light State	DIN 3.5
Dark State	DIN 9 - 13
Arc Sensors	2
Sensitivity Control	Low - High, by infinity dial knob
Delay Control Type	0.1 - 1.0 s. by infinity dial knob
Shade control location	External, Variable Shade
Grinding Mode	Yes
Helmet Material	High impact Resistance Nylon
Power Supply	Solar cells, battery replaceable, 1 x AAA Alkaline battery
Application range	Stick Welding, TIG, MIG / MAG; Plasma Cutting & Welding; Grinding; Not for Laser Welding or Oxyacetylene Welding / Cutting
Total Weight	440 gms
Approved	GS, Din-Geprüft, CE, CSA Z94.3, ANSI Z87.1
Color	Black

## MIG / MAG Torches



### MB EVO PRO Range

New Range with best ratio of "Performance to Torch Weight" in the entire range of Manual Torches.

Torches with Light-weight "BIKOL® LW" cable assembly, for even better handling and scientifically proven reduced operator fatigue, in all welding positions.

- Low weight Biko® (LW) - offering weight reduction of up to 34%
- Unique internal geometry for air cooled torches - enabling a cooler grip with maximum mechanical strength.

Model	Type	Rating (CO <sub>2</sub> )	Duty Cycle	Wire Size mm
MB EVO PRO 15	Air cooled	180 A	60%	0.8 - 1.2
MB EVO PRO 25		230 A		0.8 - 1.2
MB EVO PRO 24		250 A		0.8 - 1.2
MB EVO PRO 36		320 A		0.8 - 1.2
MB EVO PRO 501 D	Liquid Cooled	500 A	100%	1.0 - 2.4

## Electronic Gas Saving Welding Regulator EWR-2



Authorised Distributor



Celebrating  
**25** years



Authorised Distributor



**D.R. Engineers**



[www.warpp.co.in](http://www.warpp.co.in)

**Callington Products**



**WELDBRITE**



**WELDCOOL**



**Cal-Guard  
Anti-Spatter Spray**

Your text here 1

This is just a Sample Broucher. Main Broucher will be updated very soon.